PS
THE PREVENTIVE MAINTENANCE MONTHLY
HAMMERSHLAG, CHECK THAT PS INDEX UNDER REFRIGERATION!
Will Eisner
INDEX
ISSUES 170–175
(JAN–JUN 1967)

PS THE PREVENTIVE MAINTENANCE MONTHLY

INDEX NO. 15
to
ISSUES 170-175

(Jan-Jun 1967)

An index to the preceding six issues of PS Magazine is published twice yearly by the Department of the Army for the information of organizational maintenance and supply personnel. Distribution is made through normal publication channels by the "Pin-Point" distribution method.

Within limits of availability, older issues may be obtained direct from PS Magazine, Fort Knox, Kentucky, 40121.

PS Magazine wants your ideas and contributions, and is glad to answer your questions. Names and addresses are kept in confidence. Just write to:

DISTRIBUTION:

In accordance with requirements for PS Magazine submitted on DA Form 12-4. One copy of this index is distributed for every three copies of PS Magazine required.

INDEX

TO

PS, THE PREVENTIVE MAINTENANCE MONTHLY

ISSUES 170 to 175 INCLUSIVE

	PS	Page
A		
AIR COMPRESSOR		
AN-M4 Series, M1A1, M6, M6-D, M6-1R		
covered by TB 742-93-1	171	61
AIRCRAFT ARMAMENT		
2.75-in Rocket Launcher, XM16	171	16
Door-mounted subsystems, XM 23 & XM 24	172	12
M5 Subsystem		
Grenade Launcher--PM tips	170	48
M6/XM16 Subsystems--PM Tips	172	18
M22 Subsystem		
Order replacement CIPEL batteries early	173	21
AIRCRAFT, ARMY		
Fixed Wing		
O-1 (Bird Dog)		
Carburetor, Filter PMD if operating in dusty areas	171	55
Engine--Install alternate induction air filter	174	65
U-8 (Seminole)		
Engine		
Compression, oil change times	175	38
Locally made washer stops push rod seal leaks	175	39
Microswitches, Landing Gear--Keep clean	170	37
U-8D (Seminole)		
Prop spinner--New modified	173	24
U-8F (Seminole)		
Color of Lights for ram air--Amber, and		
filter air--Green (bulbs)	175	37
Engine, Torque--Fuel injector oil screen	173	65
Rotary Wing		
UH-1 (Iroquois)		
Drive Shaft (Short)--Use proper grease	170	39
Ground Handling Wheels--Turn in excess	175	38
Hot Starts--Follow precautions in		
operators manual	174	44

	PS	Page
AIRCRAFT, ARMY (Cont'd)		
Rotary Wing		
UH-1 (Iroquois) cont'd		
Main Rotor--Make tool to level stabilizer bar	170	46
Maintenance--Take precautions in dusty, wet climate	174	38
T-53 Engine--Keep oil filter & strainers clean	173	25
Valve strainer--Clean with dry filtered compressed air	172	26
UH-1B (Iroquois)		
Slippage marks, swagged ends, tail rotor control cables, purpose of	171	56
UH-1C (Iroquois)		
540 Rotor System--Make tool to tighten collective friction nut	173	22
OH-13S (Sioux)		
Turbocharger--Take out break-in screen	171	54
OH-23 (Raven)		
Engine--Locally made washer stops push rod seal leaks	175	39
Main rotor fork inspection--Watch fork not pin	172	27
Tail-Rotor--Wear limits for pitch change links	173	27
CH-47 (Chinook)		
Landing Gear Tire--Locally made drip pan saves tires	175	41
Rotary Wing, General		
Finger tight nuts or bolts plus 1 castellation	175	40
AIRCRAFT, ARMY, GENERAL		
A-B-C Maintenance	171	56
Binder for publications, checklists	175	39
Bulb, boroscope cylinder light--FSN	171	55
Covers, Shipping--Return for re-use	172	65
EIR Report--Fill out DA Form 2407, Part III, completely	173	23
Engine (Reciprocating) Oil--Use MIL-L-6082 or MIL-L-22851	173	27
Engines(T53, T55)--Ship accessories per TB Avn 24-16	171	54
Fuel--Detection of water by use of kit, FSN 6640-892-2264	170	45
Fuel Filter Separator 15GPM, 25 PSI	170	40
Lamp, Magneto timing light--FSN	171	55
Light bulbs for Runway Emergency Light Set	170	38
Lubricator--Publication for Model F-63-BC and Model 331400	170	39
Oil Sampling--Follow info in TB 55-6650-300-15	172	20

	PS	Page
AIRCRAFT, ARMY, GENERAL (Cont'd)		
Paint, new, lusterless, acrylic nitrocellulose type, OD	173	26
Parts--Preserve and pack properly for shipment	174	37
Records--New code for DA Form 1352	170	38
Slings, Fuel Containers--Return to supply	173	65
Spark Plugs--TB 55-2925-200-25 supersedes TB AVN 25-8	175	40
Stand--Make tail stand to support aircraft	171	57
Teflon hose, rubber strike thru okey	172	27
AMMUNITION		
Don't take enemy ammo for souvenirs	174	28
Enemy Ammo--Call EOD	174	27
ANTENNAS		
Prevent Rust and Corrosion	173	65
ARTILLERY		
M14 Aiming Post Lights--Stowage	173	19

B

BATTERIES		
Checking for loose cables and clamps	175	14
Electrolyte--Adjust for tropics	172	37
Radio Sets--Types for cold climate	171	52
6 TN's w/rigid handles need wooden spacers in M107, M110 & M578 tracked vehicles	171	5

C

CABLES		
CD-1119 Battery cord--ID for right cord	171	49
CALIBRATION		
CBR Items	175	64
CAMERA		
KS-4, -5, -6, -10, KE-15--Cleaning and Care	175	42
LM-33(1) Flash Unit--Battery caution	171	52
Tips on Keeping Dry	175	44
CANVAS		
Mildew--Cure for	175	59
CARRIER, CARGO, M116		
New Mirror FSN	175	13

	PS	Page
CARRIER, PERSONNEL, ARMORED M113		
Manuals Needed	175	16
Sprocket Rebuild	175	13
Track Shoe FSN's	175	25
CARRIER, PERSONNEL, M113 FAMILY		
Seal Rubber Supply Facts	173	46
CARRIER, RECON, M114		
Sprocket Rebuild	175	13
CARRIER, RECON, M114 & M114A1		
Accessory belt tensioner	171	6
Log Book Numbers	171	4
CARRIER, WEAPONS, M151A1C		
General information	171	8
Special licensing for operation	171	9
CBR		
Items to calibrate	175	64
Mity Mite Dispenser, backpack	175	48
COMBAT ENGINEER VEHICLE, M728		
Filter maintenance	170	25
Gun, 165-MM--Firing precautions	173	18
Infrared Periscope	172	65
CRANE		
Harnischfeger 60-Ton 1125G		
Main Propel Gear--Lubricating	173	61
Hook Block--Safety in moving	170	63

E

	PS	Page
ELECTRICAL SYSTEM (WHEELED VEHICLE)		
Battery--Checking for loose cables and clamps	175	14
Proper Grounding	173	52
ENGINE, DIESEL		
Secondary fuel filter M60 & M60A1 Tank	175	25
EQUIPMENT RECORDS		
Historical		
DA Form 2408-3--ESC	175	64
ESC dates from DA Form 2408-8	171	41
Log for Mil Std Generator	170	65
Lubrication Record	171	42
MWO record on DA Form 2408-5	171	37
MWO record on DA Form 2409	171	37
Send in EIR (DA Form 2407)	172	28
EXPLOSIVES		
Avoid enemy-set explosive areas	174	55

	PS	Page
EXTRACTOR-RAMMER TOOL		
Don't use it till it's been fixed	174	65

F

FILTER, FUEL		
Multifuel 2-1/2 & 5-Ton trucks--Service	175	2
FILTER, OIL		
Multifuel 2-1/2 and 5-Ton Trucks--Bar Torque	175	5
FIRE EXTINGUISHERS		
Dry chemical, 2-1/2 lb--Transferred to Defense Construction Supply Center	173	65
FORMS, DA, DD, SF, ETC.		
Cabinet, file--For DA Form 2765's	173	59
DA Cir 750-17	170	65
DA Form 2415--For reporting errors in pubs on nuclear weapons and conventional ammo	173	18
DA Form 2765--Home made pre-prints	170	64
DD Form 1150-1 now DA Form 3161	170	65
Send in EIR (DA Form 2407)	172	28
FUEL		
Winterize diesel and gasoline with alcohol	172	65

G

GENERATORS		
3KW, Control Box--Fix for vibration control	171	60
3-KW Hollingsworth JHGV3B--Check oil level during break-in	171	60
Grounding--Make slip-hammer	171	58
New TM covers several models	175	65
Parts--Order from pub that belongs to generator	173	64
PU 107A/U--Use TM 5-5264 (56) and Eng 7,8,9-5264	171	65
Starter pulley torque on 10KW & 20KW Mil Std	173	62
GRADER		
Huber-Warco 4D		
Oildrip--Should stop after running 300 to 500 hrs	173	62
GRENADE LAUNCHER, XM148		
Introductory Article	174	11
GUN, MACHINE, 7.62-MM, M60		
Maintenance hints and tips	172	2

	PS	Page
GUN, MACHINE, 7.62-MM, M73		
Blank Firing Attachment--None authorized	175	27
GUN, SELF-PROPELLED, 175-MM, M107		
Drain plug function	175	22
Operational Tips	175	18
GUN, SUBMACHINE, XM177E1, 5.56-MM		
Introductory Article	174	17

H

HAMMER, ELECTRIC (SEE TOOLS)		
HANDSET		
H-138/U, H-207/U--Dull shiny finish	171	65
HAWK, LOADER, XM501E2 and E3		
Cushion replacement for seat	175	65
HEATER, SPACE		
Guy Lines for Flue Cap--FSN	171	65
HELMET, APH-5, FLYING		
Visor applied by MWO--Round the edges	173	64
HOISTING		
Loading/Unloading transshipped trucks/vans	173	28
HOWITZER, SELF-PROPELLED, 105-mm, M108		
Be Your Own Inspector	173	2
Log Book Numbers	171	4
HOWITZER, SELF-PROPELLED, 155-MM, M109		
Be Your Own Inspector	173	2
Gas check pad--Get new type	173	8
Log Book Numbers	171	4
HOWITZER, SELF-PROPELLED, 8" M110		
Operational Tips	175	18
Sprocket Rebuild	175	13
HOWITZER, TOWED, M102, 105-MM		
Field PM Tips	174	2
Lifting--Mark the spots	174	10
HYDRAULIC FLUID		
Brake lines should be steel, not copper, tubing	171	10

I

IGNITER, SW, PERSONNEL HEATER		
Paint the barrel, use in correct heater	171	65

	PS	Page
INSPECTION		
Be Your Own Inspector		
AN/PPS-4	170	54
M108 and M109 SP Howitzer	173	2
SB-86/P Switchboard	172	60
2-1/2-Ton G742 series	170	2

K

KIT, M13 DECON AND IMPREGNATING		
Fit into carrier pocket	171	62

L

LUBRICATION, GENERAL		
Replacing PE-Oil	172	65

M

MAINTENANCE		
Get Publications	175	1
Operate equipment properly	173	1
PM is a MUST	174	1
2-1/2-Ton G742 series--BYOI	170	2
MATERIAL READINESS		
AR 220-1--Unit Readiness	175	64
MATERIALS HANDLING EQUIPMENT		
PM--Baker 6000 Forklift	174	58
6,000 and 10,000-lb--Roller/sprocket oiling	173	64
MINE DETECTOR		
Transistorized models and parts	174	24
MODIFICATION WORK ORDER		
DA Pam 310-7, MWO Index	174	65
Reasons for MWO's	171	29
Urgent--List	171	40

	PS	Page
MORTAR, 81-MM, M29		
How to avoid short rounds in wet areas	173	21
MOUNT, TELESCOPE M137		
Elevation Counter--Support Unit Troubleshoots	175	22
MOUNTS		
MT-1029, MT-1898--Make snug connections	173	65

N

NIGHT VISION WEAPONSIGHT		
Starlight Scope		
FSN for battery	173	53
Loose Screw PM	173	53
Protect Lens and Save Knobs	175	45
NIKE HERCULES		
Launcher		
Blast deflector should move easily	171	46
Hydraulic jack reservoir plug is for shipping	171	47
Missile		
Correct installation of HPU mounting bolts	171	45
Torque value for elevon lock attach bolts	171	45
Van, BC		
FSN 5960-193-5145 is for 5751 electron tube	175	65
NIKE-HERCULES (GENERAL)		
Cables--Use tape when cover is missing	171	44
NIKE-HERCULES (HIPAR)		
DSU adjusts klystron pump tube frequency	171	46
No substitute for semiconductor	171	47

O

OEM		
Semi Trailer M15A2	171	14
Truck, Wrecker, 5-Ton, M543	172	40
OIL		
Engine		
OE is detergent	175	7
Leakage, Seepage--Allowable	170	24
OVERLOADING--Avoid	173	1

	PS	Page
OVERSPEEDING		
290M Tractor Safety Device	175	64

P

PERISCOPE, M19		
Elevation Lock Assembly--Change location of locknut	175	24
POL		
Figuring Needs--Logbook records	175	65
POWER SUPPLY PU107A/U (See GENERATOR SETS)		
PROJECTOR SET		
PM Tips on Cleaning and Care	175	46
PROTECTIVE MASK CARRIER		
Change fasteners on kit pocket	171	62
PROTECTIVE MASK M17		
Crystalline Bloom	174	65
Optical inserts replace your glasses	173	63
Waterproofing Bag	171	61
PUBLIC ADDRESS SET		
AN/UIH-4--Feed back damages transistors	171	51
PUBLICATIONS		
AR 220-1--Unit Readiness	175	64
AR 735-35/AR 735-11--Droppage report info	173	65
DA Cir 750-17	170	65
DA Pam 108-1 (Sep 66) S/S DA Pam 310-5	175	65
DA Pam 310-7, MWO Index	174	65
DA Pam 310-9--COMSEC Pubs	175	45
Get and use TM	170	1
New Aircraft Spark Plug List	175	40
New TOE's/MTOE's	173	54
Pinpoint Write-In Items	175	28
Supply (UND) AR 725-50	170	65
TB 742-93-1 applies to air compressors use with flame-throwers	171	61
TB 750-109, Calibration--MUCOM Materiel	175	64
TM 5-6115-365-15 on 3-KW to 100-KW generators	175	65
TM 38-750--Use of DA Form 2415	173	18

R

RADAR SET		
AN/MPQ-4A		
Change V4503-V4504 tubes	172	64

	PS	Page
RADAR SET (Cont'd)		
AN/PPS-4		
Be Your Own Inspector	170	54
RADIO SETS		
AN/ARC-102, AN/MRC-95		
Way to clean filters	171	53
AN/GRC-3, 8		
General PM	170	58
AN/MRC-95		
Keep out moisture from 690D-1 antenna loading coil	172	64
AN/PRC-6, AN/PRC-8-10		
PM Tips	171	48
AN/PRC-6, -8, -9, -10, -25--Storing rack	173	48
AN/PRC-8, 9, 10		
Cut off V6, V8 tubes pin	170	53
AN/TRC-24		
Clean AM-914 amplifier-converter cable retainer	171	50
Batteries--Cold climate types	171	52
Tactical Radios--Read FM 24-18 (Jul 65)	170	65
RECEIVER-TRANSMITTER		
RT-524		
FSN For Speaker Shutter	173	50
Keeping RT Cool	171	49
REFRIGERATION		
Thermo-King QL9M1		
Care	175	54
Order parts to panel assembly instead of whole assembly	173	64
REPARABLE ITEMS	171	1
RIFLE, M14, 7.62-MM		
Reasons For Failure to Extract	175	26
RIFLE, M16, 5.56-MM		
Water in Barrel--Drain it the correct way	173	20
RIFLE, M16 and M16E1, 5.56-MM		
Magazine Care	172	11
RIFLE, M16E1, 5.56-MM		
Grenade Launcher Attachment--Introductory article	174	11
Maintenance and Supply Info	174	18
RIFLE, RECOILLESS, 106-MM		
Trigger--Make sure you have right one	173	19
ROCKET LAUNCHER, M20A1-SERIES, 3.5-In		
Replace missing paint with paint, not oil	175	27

S

SABOTAGE
Anti-Grenade lock for fuel tank 174 55
SAFETY
Generator Grounding--Make slip-hammer 171 58
SEARCHLIGHT, XENON
Brush changing time 173 60
Model M9910B--Check for crossed wires 172 65
Mounting Precautions 173 45
SEASONAL OPERATION
Winter Driving 170 29
SMALL ARMS, GENERAL
Store Them Uncocked 175 64
SPARK ARRESTOR
Tactical Truck Engines--Not needed with turbo-superchargers 172 65
SPARK PLUGS
Aircraft List--TB 55-2925-200-25 . . . . . 175 40
STARLIGHT SCOPE
Protect lens and save knobs 175 45
STRAP, SAFETY
Tactical Truck 171 12
SUPPLY
Accounting for BIIL items 173 58
Expendables not included in quarterly droppages 173 65
Multi-line Form Renamed DA 3161 . . . . . 170 65
Stencil standard info on DA Form 2765 . . . . . 170 64
TOE's/MTOE's (NAAD) 173 54
Turn in reparables 171 1
Urgency of need designators 170 65
SWITCHBOARD
SB-86/P--Be your own inspector 172 60

T

TANK, M48 SERIES
FSN For Snubbers 171 4
Sprocket Rebuild 175 13

	PS	Page
TANK, M48A2		
Grease Seal Operation	173	44
Magneto FSN Change	175	12
TANK, M48A3		
Brake Maintenance	171	2
Filter maintenance	170	25
Infrared Periscope	172	65
TANK, M60		
Brake Maintenance	171	2
Filter maintenance	170	25
FSN For Snubbers	171	4
Grease Seal Operation	173	44
Infrared Periscope	172	65
Padlock Set--New FSN	171	4
Sprocket Rebuild	175	13
TANK, M60A1		
Filter maintenance	170	25
FSN For Snubbers	171	4
Grease Seal Operation	173	44
TANK, M60 and M60A1		
Repair M13, M13A1 filter unit heater	173	43
Secondary fuel filter MWO	175	25
TELEGRAPH TERMINAL		
TH-5/TG--Keep vented	172	59
TELEPHONE SET		
TA-43/PT, -312/PT		
PM Tips	173	51
Reducing Moisture	174	23
TELETYPEWRITERS		
Avoid Unnecessary Adjusting	171	51
TEST EQUIPMENT, SIGNAL		
IM-92/U Coaxial Slotted Line--Missing parts hurt	171	50
TEST SET, TACHOMETER-DWELL, NEW MODEL		
Tachometer test lead clamps on spark plug adapter cable	173	41
TIRE PRESSURE GAGE (See TOOLS, Gage, Tire)		
TOOLS		
Bulb, Light, Extension--FSN	170	65
Gage, Tire, New--Gage and air chuck hose--come as one	173	41
Hammer, Electric, Strunk Model GH2 urgent MWO	173	64
Home-made toter	170	64
Sets and Kits		
Automotive Mechanic's (formerly General Mechanic's)	172	55
TK-21/G and TK-87/U--New LIN	175	65

TRACTOR, CRAWLER, HD16M
Steering hydraulic filter changing 174 56
TRACTOR, IHC, TD-18-182
Trunnion Cap Bolts--Lock w/3 leaf plate 173 63
TRACTOR, WHEELED, 290M
Tachometer--Overspeed cable 175 64
TRAILER, AMMO, 1-1/2-TON, M332
Cable, intervehicular 171 13
Substitute Paulin OK 171 13
TRAILERS
M15A2 OEM 171
TRAILER, SEMI, 25-TON, M172A1
Wheel hub inner & outer bearings--Correct FSN's 171 13
Wrench, Lug--Fix to fit 175 7
TRAILER, SHOPVAN, 6-TON, M146
Mud Flap Fix 171
TRAILER, WATER-TANK, M149
Go easy when tightening filler pipe cover 175
TRAINING AIDS
Index--DA Pam 108-1 . . . . . 175 65
TRUCK, 1/4-TON, M151
Bushing, rear suspension arm, special 175 12
Curtains, Rods and Frames 173 40
Gas Can Mount 175 11
Parts, non-supply--Maintenance and support policy 175 8
Side Reflectors Not Needed 175 10
Switch, safety, fuel pump--False alarm 175 10
TRUCK, 1/4-TON, M151A1
Bushing, rear suspension arm, special 175 12
Parking Brake Handle--Can be accidentally released. . . . 175 11
Side Reflectors Not Needed 175 10
TRUCK, 1/4-TON, M151A1C
Gas Can Mount 175 11
Operator's License 171 9
Weapons Carrier--General 171 8
TRUCK, 3/4-TON, G741 SERIES
Prop Shaft Parts Kit 171
TRUCK, 2-1/2 TON G742 SERIES
Multifuel
Dipstick, engine crankcase 175 5
Fuel filter service 175 2
Oil Filter, torque on bar 175 5
Shaft, drive, front winch 175 64
Rivets for hood rubber bumpers 171 11
Seals, rear outer wheel bearing 173 37
2-1/2-Ton --Be your own inspector 170 2

	PS	Page
TRUCK, GENERAL		
Engine--Replace broken radiator cap	173	38
Operation and Maintenance	174	46
Tires--Locally made tool breaks bead	173	42
TRUCK, TANK, 2-1/2-TON, M49, M49C, M49A1C, M49A2C		
Gaskets, Meter--M49C, M49A1C, M49A2C	175	6
TRUCK, 5-TON, G744 SERIES		
ENDT-673 Engine--Meaning	171	10
Multifuel		
Dipstick, engine crankcase	175	5
Fuel filter service	175	2
Oil Filter, torque on bar	175	5
Rivets for hood rubber bumpers	171	11
Tailpipe FSN (M55 & M63C)	171	65
TRUCK, WRECKER, 5-TON, M543		
Cable, Rear Throttle	171	13
OEM	172	40

V

VEHICLES, GENERAL		
Electrolyte, Battery--Adjust for tropics	172	37
Operation and Maintenance	174	46
POL needs--Logbook records	175	65
Weight classifications--Change 1, FM 5-36 guide	173	40
VEHICLE, RECOVERY, M578		
How to mount vise	175	23
VEHICLES, TACTICAL, GENERAL		
Follow Vehicle TM vs TM 38-600 during admin use	171	11
FSN for Safety Strap	171	12
Lifting and slinging	173	28
Operation and Maintenance	174	46
POL needs--Logbook records	175	65
Proper grounding of electrical system	173	52
Towing Shackles--Tapped	171	11
VEHICLE TANK RECOVERY, M88		
Blower Motor Care	175	24
Booster Coil Testing	173	46
FSN For Snubbers	171	4
Magneto FSN Change	175	12
Refueling Precaution	173	47
Sprocket Rebuild	175	13

	PS	Page
VIET NAM PM	174	1

W

WELDING MACHINE, ARC		
Harnischfeger WNG 300B--Urgent MWO changed to normal	173	64
WESTMORELAND, GEN. W.C.	174	1
WINTERIZATION		
Alcohol in fuel systems	172	65

U. S. GOVERNMENT PRINTING OFFICE : 1967 O - 273-863



USE YOUR . . .

GAGES



TESTERS

MULTIMETERS



LOW-VOLTAGE CIRCUIT TESTER

OR THE OTHER GAGES, TESTERS, METERS IN YOUR AUTHORIZED TOOL KITS.

MAKE SURE THE PARTS YOU REPLACE ARE REALLY BAD!